

Amendments to the Claims

1. (currently amended) A method for processing network management data received by a network management system during the monitoring of a network, the method comprising: receiving network management data, and determining if the network management data indicates the resolution of a previous event generated by the network management system in response to previously received network management data, ~~and~~ changing a severity indicator of said previous event dependent on said determining step, and removing said previous event from a memory of the network management system, depending on said severity indicator.

2. (original) A method as claimed in claim 1, wherein, if the network management data indicates the resolution of a previous event, the method further comprises marking the previous event as resolved.

3. (original) A method as claimed in claim 1, wherein the network management data is processed in response to the network management system receiving network management data from the network.

4. (original) A method as claimed in claim 1, the network management data comprising values of a monitored characteristic of a part of the network for which an event is generated if the monitored value exceeds a predetermined threshold, wherein an event list includes an unresolved previous event for the monitored characteristic, wherein the step of receiving network management data comprises receiving a value for the monitored characteristic, and the step of

determining comprises considering whether the monitored value has been below the predetermined threshold for a preceding time period, and if so determining that the received value indicates the resolution of the unresolved previous event.

5. (original) A method as claimed in claim 4, wherein the step of considering comprises, in response to receiving the network management data, comparing a first received value for the monitored characteristic with the predefined threshold, and if the value is below the predefined threshold, starting a timer, the timer expiring at the end a predefined time period.

6. (original) A method as claimed in claim 5, wherein the step of considering further comprises comparing each subsequent received value for the monitored characteristic with the predefined threshold, and if any value exceeds the threshold canceling the timer.

7. (original) A method as claimed in claim 5, wherein, when the timer expires, determining that the monitored value has been below the predetermined threshold for the preceding time period.

8. (currently amended) A method for processing data representing a monitored characteristic of a part of the network in a network management system, the method comprising: periodically receiving a value for the monitored characteristic; if a received value exceeds a predetermined threshold for the monitored characteristic generating an event; and thereafter, periodically considering whether the monitored value has been below the predetermined threshold for a preceding time period, and if so determining that the event is resolved and changing a severity

indicator of said event, wherein the severity indicator establishes whether the said event should be removed from a memory of the network management system.

9. (original) A method as claimed in claim 8, wherein the preceding time period is an immediately preceding predetermined time period, and the step of periodically considering comprises considering whether the monitored value has been below the predetermined threshold for the immediately preceding time period in response to each subsequently received value.

10. (original) A method as claimed in claim 8, wherein if the step of considering determines that the event is resolved, the method further comprises marking the event as resolved.

11. (original) A method as claimed in claim 1, the network management data relating to an asynchronous Trap being received by the network management system, wherein the step of determining comprises considering if the Trap indicates the possible resolution of an event in an event log.

12. (original) A method as claimed in claim 11, wherein if the Trap indicates the possible resolution of an event in an event log, the step of determining further comprises considering whether the event log includes a previously received event that is resolved by the Trap.

13. (currently amended) A method for processing data received in an asynchronous Trap by a network management system, the method comprising: receiving a Trap from the network; determining if the received Trap is a reportable condition, and if so considering if the Trap indicates

the possible resolution of a event in an event log, and if so further considering if the Trap indicates the possible resolution of a further event in the event log.

14. (currently amended) A method as claimed in claim 1, wherein the method processes network management data previously received by the network management system and stored in the memory.

15. (currently amended) A method as claimed in claim 14, wherein the step of receiving network management data comprises receiving event data relating to an event stored in the memory, in response to a scan of previously generated events stored and included in an event log.

16. (original) A method as claimed in claim 15, wherein the event data relates to a recurring event and includes the time of the last occurrence of the event.

17. (original) A method as claimed in claim 16, wherein the step of determining comprises comparing the present time with the time of the last occurrence of the event, and, if the time difference is greater than a predetermined time interval, determining that the event is resolved.

18. (original) A method as claimed in claim 17, wherein if the step of determining determines that the event is resolved, the method further comprises marking the recurring event as resolved.

19. (currently amended) A method for processing event data generated by a network management system during the monitoring of a network, the method processing event data relating to events previously generated by the network management system a plurality of times and which may be entered in the event log as a recurring event, the method comprising determining if an event has already been logged a predetermined number of times in an event list, and if so identifying a recurring event to be processed from the event list; and considering whether the condition which caused the event to be generated has occurred in a preceding time period.

20. (original) A method as claimed in claim 19, wherein, if the step of considering determines that the condition which caused the event to be generated has not occurred in the preceding time period, determining the event to be resolved.

21. (original) A method as claimed in claim 20, further comprising marking the event in the event list as resolved.

22. (currently amended) A computer readable medium including a computer program for processing network management data received by a network management system during the monitoring of a network; the program comprising a program step for receiving network management data and for determining if the network management data indicates the resolution of a previous event generated by the network management system in response to previously received network management data, ~~and changing a severity indicator of said previous event dependent on said determining step, and removing said previous event from a memory of the network management system, depending on said severity indicator.~~

23. (currently amended) A network management system for processing network management data received during the monitoring of a network, the system comprising: a processor for receiving network management data and determining if the network management data indicates the resolution of a previous event generated by the network management system in response to previously received network management data, ~~and changing a severity indicator of said previous event dependent on said determining step, and removing said previous event from a memory of the~~ network management system, depending on said severity indicator.

24. (currently amended) A network management system as claimed in claim 23, ~~further comprising~~ wherein the memory is configured to store ~~for storing~~ data relating to events generated by the network management system, wherein if the processor determines that received network management data indicates the resolution of a previous event stored in the memory, the processor updates the memory to mark the previous event as resolved.

25. (currently amended) A network management system has claimed in claim 24, further comprising means for presenting an event list of generated events to a user.